

# EU type examination certificate

## EU-Baumusterprüfbescheinigung

**CE-0085DL0088**

Product Identification No.  
Produkt-Identnummer


<b>Field of Application</b> <i>Anwendungsbereich</i>	EU Gas Appliances Regulation (EU/2016/426) <i>EU-Gasgeräteverordnung (EU/2016/426)</i>
<b>Distributor</b> <i>Vertreiber</i>	Ferrolì S.p.A. Via Ritonda 78A, I-37047 San Bonifacio (VR)
<b>Product Category</b> <i>Produktart</i>	Water heaters: Gas instantaneous water heater (1401)
<b>Product Description</b> <i>Produktbezeichnung</i>	Instantaneous water heater
<b>Model</b> <i>Modell</i>	LAMBORGHINI CALORCLIMA SI ECO C ...
<b>Countries of Destination</b> <i>Bestimmungsländer</i>	AL, AT, BE, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR
<b>Test Reports</b> <i>Prüfberichte</i>	type testing: K 24262018 T1 from 20.03.2020 (TRG) type testing: K 24262018 B2 from 20.03.2020 (TRG)
<b>Test Basis</b> <i>Prüfgrundlagen</i>	EU/2016/426 A III B (09.03.2016) DIN EN 26 (01.08.2015)

**Date of Expiry / File No.** 23.04.2030 / 21-0575-GEA  
*Ablaufdatum / AZ*

7028-04-A-DE

06.12.2021 Pz C-1/2

Date, Issued by, Sheet, Head of Certification Body  
Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle




DVGW CERT GmbH  
Zertifizierungsstelle

Josef-Wirmer-Str. 1-3  
53123 Bonn

Tel. +49 228 91 88 - 888  
Fax +49 228 91 88 - 993

www.dvgw-cert.com  
info@dvgw-cert.com

<b>Installation Codes</b> <i>Installationsarten</i>	<b>Countries of Destination</b> <i>Bestimmungsländer</i>	<b>Remarks</b> <i>Bemerkungen</i>
B11BS	AL, AT, BE, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR	

<b>Type</b> <i>Typ</i>	<b>Technical Data</b> <i>Technische Daten</i>	<b>Remarks</b> <i>Bemerkungen</i>
LAMBORGHINI CALORECLIMA SI ECO C 11	heat input (Hi): 8,3...21,7 kW	
LAMBORGHINI CALORECLIMA SI ECO C 14	heat input (Hi): 10,3...26,9 kW	

### Hints of Utilization /Remarks

#### *Verwendungshinweise / Bemerkungen*

Electrical supply: internal battery

Tested gas categories:

I2N: 20 mbar

I2N: 20 <--> 25 mbar

I2H: 20 mbar

I2H: 25 mbar

I2E: 20 mbar

I3B: 28 - 30 <--> 37 mbar

I3B/P: 30 mbar

I3B/P: 50 mbar

I12E3B/P: 20 mbar; 30 mbar

I12E3B/P: 13/20 mbar; 30 mbar

I12ELL3B/P: 20 mbar; 50 mbar

I12L3B/P: 25 mbar; 30 mbar

I12H3B/P: 25 mbar; 30 mbar

I12H3B/P: 20 mbar; 30 mbar

I12H3B/P: 20 mbar; 37 mbar

I12H3B/P: 20 mbar; 50 mbar

I12E+3B/P: 20 <--> 25 mbar; 37 mbar

I12H3P: 20 mbar; 37 mbar

I12H3+: 20 mbar; 28 - 30 <--> 37 mbar

I12H3+: 20 mbar; 30 <--> 37 mbar

I12E+3P: 20 <--> 25 mbar; 37 mbar

I12E+3+: 20<--> 25 mbar; 28 - 30 <--> 37 mbar

I12H3+: 20 mbar; 28 - 30 <--> 30 mbar

I12H3P: 20 mbar; 30 mbar

I12H3P: 20 mbar; 37 mbar

I12HM3B/P: 20 mbar; 30 mbar

I12HS3B/P: 25 mbar; 30 mbar

I12ELw3B/P: 13/20 mbar; 30 mbar

I12HM3P: 20 mbar; 37 mbar

I12HM3+: 20 mbar; 28 - 30 <--> 37 mbar

I12EK3B/P: 25 mbar; 30 mbar

The CE-marking will be accepted in the none EC-countries, after they transferred the Regulation EC/2016/426 into national law.

